15

20

25

WHAT IS CLAIMED IS:

mol/mol of silver.

- 1. A photothermographic material containing a non-photosensitive silver salt of an organic acid, a photosensitive silver halide, a reducing agent for silver ions and a binder on one surface of a support, which comprises at least one compound represented by the following formula (I) and at least one compound selected from the following (i), (iii), (iii) and (iv):
- 10 Formula (I)

$$(x)_{k}(L)_{m}(A-B)_{n}$$

wherein, in the above formula, X represents a silver halide adsorption group or light absorption group which contains at least one atom of N, S, P, Se or Te, L represents a (k+n)-valent bridging group containing at least one atom of C, N, S or O, A represents an electron-donating group, B represents a leaving group or a hydrogen atom, A-B is dissociated or deprotonated after oxidation to generate a radical A', k represents 0-3, m represents 0 or 1, and n represents 1 or 2, provided that when k=0 and n=1, m=0.

- (i) compounds producing imagewise a chemical species that can form development initiation points on and in the vicinity of the non-photosensitive silver salt of an organic acid,
 (ii) compounds that provide increase of developed silver grain density to a level of 200-5000% when added in an amount of 0.01
- (iii) compounds that provide increase of covering power to a 30 level of 120-1000% when added in an amount of 0.01 mol/mol of silver, and
 - (iv) compounds represented by any one of the following formula (1) to (3):

30

Formula (1) Formula (2) Formula (3)

wherein:

5

10

in the formula (1), R^1 , R^2 and R^3 each independently represents a hydrogen atom or a substituent, Z represents an electron withdrawing group, and \hat{R}^1 and Z, R^2 and R^3 , R^1 and R^2 , or R^3 and Z may be combined with each other to form a ring structure,

in the formula (2), R4 represents a substituent, and

in the formula (3), X and Y each independently represent a hydrogen atom or a substituent, A and B each independently represents an alkoxy group, an alkylthio group, an alkylamino group, an aryloxy group, an arylthio group, an anilino group, a heterocyclyloxy group, a heterocyclylthio group or a heterocyclylamino group, and X and Y or A and B may be combined with each other to form a ring structure.

- 2. A photothermographic material according to Claim 1, which comprises at least one compound of (i).
- 3. A photothermographic material according to Claim 1, which comprises at least one compound of (ii).
 - 4. A photothermographic material according to Claim 3, wherein said compound of (ii) provides increase of developed silver grain density to a level of 500-3000% when it is added in an amount of 0.01 mol/mol of silver
 - 5. A photothermographic material according to Claim 1, which comprises at least one compound of (iii).
- 35 6. A photothermographic material according to Claim 1, wherein said compound of (iii) provides increase of covering

10

15

20

power to a level of 150-500% when it is added in an amount of 0.01 mol/mol of silver.

- 7. A photothermographic material according to Claim 1, which comprises at least one compound of (iv).
 - 8. A photothermographic material according to Claim 1, which comprises the compound represented by the formula (I) in an image-forming layer containing the photosensitive silver halide.
 - 9. A photothermographic material according to Claim 1, which comprises the compound represented by the formula (I) in an amount of 1 \times 10 $^{-9}$ to 5 \times 10 $^{-2}$ mol per mole of silver halide.
 - 10. A photothermographic material according to Claim 1, which comprises the compound represented by the formula (I) in an amount of 1 \times 10 $^{-8}$ to 2 \times 10 $^{-3}$ mol per mole of silver halide.
 - 11. A photothermographic material according to Claim 1, which comprises the compounds of (i), (ii), (iii) and (iv) in an image forming layer comprising said photosensitive silver halide or a layer adjacent thereto.
- 25 12. A photothermographic material according to Claim 1, which comprises the compounds of (i), (ii), (iii) and (iv) in an amount of 1×10^{-6} to 1 mol per mole of silver halide.
- 13. A photothermographic material according to Claim 1, 30 which comprises the compounds of (i), (ii), (iii) and (iv) in an amount of 1 \times 10⁻⁵ to 5 \times 10⁻¹ mol per mole of silver halide
- 14. A photothermographic material according to Claim 1, which comprises the compounds of (i), (ii), (iii) and (iv) in 35 an amount of 2×10^{-5} to 2×10^{-1} mol per mole of silver halide.